Product Type: M8 Field-assembly Connector

Product Name:M8A03Z-MASSTSA

Product Description: M8 assembly welded type,straight male 4-core ,shielded,the diameter of the adapter wire is 3.5-5.0MM

Product Size





Parameters

SUPU ID	M8
Number of connections	3
Connection method	Solder Type
Cable OD.	3.5-5.0mm

Protection Level	IP67
Operating temperature range	-40~+85°C
Mounting Type	Field
Thread type	M8X1.0
Category	Male
Product type	assembly,straight
Coding	A
Connection method	Solder Type
Shielded	YES
Mechanical endurance	≥100
Standards	IEC61076-2-104

Technical data

IEC Rated Current	3A
IEC Rated Voltage	50 VAC / 60 VDC
Degree of pollution	3
Insulation Resistance	≥100MΩ
Contact resistance	＜10mΩ
Contact/surface material	CuSn/Ni/Au
Contact carrier material	PA
Screw/nut material	CuZn
Sealing material	NBR

Commercial data

Order No M8A03Z-MASSTSA

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336

Wechat

The right to modify data belongs to SUPU.